Index to Volume 61

Author index*

A

ABELS, JOHANNES, BOUMA, WILMA, JANSZ, ANTON, WOLDRING, MARTINUS G., BAKKER, ALBERT, AND NIEWEG, HENDRIK O. Experiments on the intrinsic factor antibody in serum from patients with pernicious anemia, 893

AGOSTONI, A. (*See* Dioguardi, Agostoni, Fiorelli, and Lomanto), 713

ALCOCK, NANCY. (*See* Hanna, Alcock, Lazarus, and Mullan), 220

ALT, HOWARD L. (*See* Kurtides, Rambach, Alt, and Wurster), 23

AMERY, A. (*See* Verstraete, Amery, Maes, and Vermylen), 926

ANDRIOLE, VINCENT T. Altered sulfobromophthalein metabolism in the dog induced by the antifungal agent X-5079C, 730

ANGEL, R. (*See* Sheehy, Santini, Guerra, Angel, and Plough), 650

AWAI, MICHIYASU, AND BROWN, ELMER B. Studies of the metabolism of I^{131}-labeled human transferrin, 363

B

BAKKER, ALBERT. (*See* Abels, Bouma, Jansz, Woldring, Bakker, and Nieweg), 893

BALDRIDGE, ROBERT C., AND GREENBERG, NINA. A method for the determination of histidine in blood, 700

BALDWIN, D. S., GOMBOS, E. A., AND CHASIS, H. Changes in sodium and water excretion induced by epinephrine and *l*-norepinephrine in normotensive and hypertensive subjects, 832

BANGAYAN, TEOFILO T. (*See* Sandberg, Rezai, Bangayan, Bellet, Feinberg, and Hunter), 592

BAR-KOCHBA, ZVIA. (*See* Czaczkes, Ullmann, Ullmann, and Bar-Kochba), 873

BARKULIS, S. S. (*See* Wolfe, Hayashi, Walsh, and Barkulis), 459

BARNES, GLOVER W., SOANES, WARD A., MAMROD, LOUISE, GONDER, MAURICE J., AND SHULMAN, SIDNEY. Immunologic properties of human prostatic fluid, 578

BAUR, ERNST. W. Thin-layer starch-gel electrophoresis and plastification method, 166

BEALL, GILDON N., with the technical assistance of OHANIAN, SARKIS H. The nature of the complement-fixing antigen in normal human liver extracts, 67

BECK, BRUNO. (*See* Cardus, Luft, and Beck), 944

BELDING, MELVIN E., AND KERN, FRED, JR. Inhibition of urease by oxytetracycline, 562

BELLET, SAMUEL. (*See* Sandberg, Rezai, Bangayan, Bellet, Feinberg, and Hunter), 592

BERLIN, NATHANIEL I. (*See* Cline and Berlin), 249

BEUTLER, ERNEST, DURON, OLGA, AND KELLY, BARBARA MIKUS. Improved method for the determination of blood glutathione, 882

BIRCHER, R. (*See* Halbert, Bircher, and Dahle), 437

BIRD, ROBERT M. (*See* McKee, Kalbfleisch, and Bird), 203

BLOOMER, H. ALLAN, TRAMMELL, DOYLE D., AND RECTOR, FLOYD C., JR. Ultramicro determination of potassium and sodium in biologic fluids, 692

BONVENTRE, PETER F. (*See* Bubel and Bonventre), 324

BOUMA, WILMA. (*See* Abels, Bouma, Jansz, Woldring, Bakker, and Nieweg), 893

BOWER, PATRICIA H. (*See* Salmon, Bower, and Thompson), 120

BOYER, SAMUEL H., AND HINER, RICHARD. Modified apparatus for starch gel electrophoresis, 879

BRICKER, NEAL S. (*See* Daughaday and Bricker), 1

*January, pp. 1-182; February, pp. 183-362; March, pp. 363-536; April, pp. 537-712; May, pp. 713-892; June, pp. 893-1066.

BROITMAN, SELWYN A., AND ZAMCHECK, NORMAN, with the technical assistance of PERKINS, JAMES M., AND COLON, PAUL L. Utilization and excretion of D-xylose in thyroxine-treated rats, 476

BROWN, EARLENE. Evidence for a ketonic acid in human bile, 629

—, AND CLARKE, DON L. Simplified method for the determination of reduced triphosphopyridine nucleotide by means of enzymic cycling, 889

BROWN, ELMER B. (*See* Awai and Brown), 363

BUBEL, H. CURT, AND BONVENTRE, PETER F. Apparatus for preparation of whole animal sections for autoradiography, 324

C

CAHAN, A. (*See* Gorman, Di Re, Treacy, and Cahan), 642

CALLINAN, JOHN L. (*See* Gallagher, Seifert, Callinan, Maes, and Lange), 258

CAMP, MARY FRANCES. (*See* Eisenberg), 755

CARDUS, DAVID, LUFT, ULRICH C., AND BECK, BRUNO. Measurements of total circulating hemoglobin with the carbon monoxide rebreathing method, 944

CARLSON, LARS A., EKELUND, LARS-GORAN, AND ORÖ, LARS. Studies on blood lipids during exercise. IV. Arterial concentration of plasma free fatty acids and glycerol during and after prolonged exercise in normal men, 724

CAYLER, GLEN G. (*See* Davidson and Cayler), 292

CHARLEY, PHILIP J., STITT, CLYDE, SHORE, ERNEST, AND SALTMAN, PAUL. Studies in the regulation of intestinal iron absorption, 397

CHASIS, H. (*See* Baldwin, Gombos, and Chasis), 832

CHENEY, BARBARA A. (*See* Copp), 1029

CHIANG, S. T. Simple new device for detection of uneven pulmonary ventilation after a single breath of oxygen, 346

CHOSY, J. J., AND SCHILLING, R. F. Intrinsic factor studies. VII. The use of ion exchange chromatography, gel filtration, and ultrafiltration to purify the intrinsic factor of human gastric juice, 907

CLAPP, LESTER. (*See* Fleisher and Wakim), 76, 98

—. (*See* Wakim and Fleisher), 86, 107

CLARKE, DON L. (*See* Brown and Clarke), 889

CLINE, MARTIN J., AND BERLIN, NATHANIEL I. Simultaneous measurement of the survival of two populations of erythrocytes with the use of labeled diisopropylfluorophosphate, 249

COHEN, ELLIS N. Fluorescent analysis of *d*-tubocurarine hydrochloride, 338

COLON, PAUL L. (*See* Broitman and Zamcheck), 476

COOK, JAMES D., AND VALBERG, LESLIE S. Evaluation and use of a large plastic scintillator for gamma counting, 317

COPP, D. HAROLD, with the technical assistance of CHENEY, BARBARA A., AND STOKOE, NANCY M. Simple and precise micromethod for EDTA titration of calcium, 1029

CORCORAN, A. C. (*See* Hirakawa and Corcoran), 795

COTRAN, RAMZI S., THRUPP, LAURI D., HAJJ, SAMIR N., ZANGWILL, DONALD P., VIVALDI, ENNIO, AND KASS, EDWARD H. Retrograde E. coli pyelonephritis in the rat: A bacteriologic, pathologic, and fluorescent antibody study, 987

CRANE, M. G., HARRIS, J. J., AND HOLLOWAY, J. E. Exchangeable sodium and potassium in primary aldosteronism, 51

CREAN, GERARD P. (*See* Evans, McConnell, Donohoe, Sircus, and Crean), 660

CROFFORD, OSCAR B., AND LACY, WILLIAM W. Rapid micromethod for determination of blood sugar in mice, 708

CZACZKES, J. WALTER, ULLMANN, THEODOR D., ULLMANN, LISA, AND BAR-KOCHBA, ZVIA. Determination of the red blood cell content of water, sodium, and potassium in normal subjects, 873

D

DAHLE, E. (*See* Halbert, Bircher, and Dahle), 437

DAUGHADAY, WILLIAM H., AND BRICKER, NEAL S. Letter from the editors, 1

DAVIDSON, HAROLD D., AND CAYLER, GLEN G. Oxygen cost of breathing in children, 292

DERN, RAYMOND J., MONTI, ALBERTO, AND GLYNN, MICHAEL F. Studies with doubly labeled iron. IV. Evidence for a second iron-binding system in plasma, 280

—. (*See* Monti, Glynn, and Dern), 272

DIETZ, A. A. (*See* Rubinstein and Dietz), 979

DI FERRANTE, NICOLA. Acid mucopolysaccharides of normal human urine, 633

DIMASE, JOSEPH. (*See* Katz, DiMase, and Donaldson), 266

DIOGUARDI, N., AGOSTONI, A., FIORELLI, G., AND LOMANTO, B., with the technical assistance of SCHWEIZER, M. Characterization of lactic dehydrogenase of normal human granulocytes, 713

DI RE, J. (*See* Gorman, Di Re, Treacy, and Cahan), 642

DONALDSON, ROBERT M., JR. (*See* Katz, DiMase, and Donaldson), 266

DONOHOE, W. T. A. (*See* Evans, McConnell, Donohoe, Sircus, and Crean), 660

DOWNIE, H. G. (*See* Murphy, Mustard, Rowsell, and Downie), 935

DURON, OLGA. (*See* Beutler, Duron, and Kelly), 882

E

EISENBERG, SEYMOUR, with the technical assistance of CAMP, MARY FRANCES, AND HORN, MARGIE. Effect of posture and position of the venous sampling site on the hematocrit and serum protein concentration, 755
EKELUND, LARS-GORAN. (*See* Carlson, Ekelund, and Orö), 724
ENGLEMAN, EPHRAIM P. (*See* Shearn, Epstein, Engleman, and Taylor), 677
EPSTEIN, WALLACE V. (*See* Shearn, Epstein, Engleman, and Taylor), 677
EVANS, DAVID A. PRICE. Estimation of fucose concentration in gastric juice, 687
—, MCCONNELL, RICHARD B., DONOHOE, W. T. A., SIRCUS, WILFRED, AND CREAN, GERARD. Fucose and agglutinogen contents of gastric juice in subjects with peptic ulcers, 660
EVANS, WARREN H. (*See* Mueller and Evans), 953

F

FARID, Z. (*See* Prasad, Miale, Farid, Sandstead, and Schulert), 537
FEINBERG, LEONARD J. (*See* Sandberg, Rezai, Bangayan, Bellet, Feinberg, and Hunter), 592
FIORELLI, G. (*See* Dioguardi, Agostoni, Fiorelli, and Lomanto), 713
FLEISHER, GERARD A., AND WAKIM, KHALIL G., with the technical assistance of PANKOW, MARCELLA, OSBORNE, DAVID, CLAPP, LESTER, AND VAN HOOK, EMORY. The fate of enzymes in body fluids—an experimental study. I. Disappearance rates of glutamic-pyruvic transaminase under various conditions, 76
—, —, —, —, —, —. The fate of enzymes in body fluids—an experimental study. III. Disappearance rates of glutamic-oxalacetic transaminase II under various conditions, 98
—. (*See* Wakim and Fleisher), 86, 107
FLEMING, LAURA W. (*See* Stewart, Hutchinson, and Fleming), 858
FRANCIS, FAITH ELLEN. (*See* Shen, Katzman, Francis, and Kinsella), 174
FRISCH, EMANUEL. (*See* Lancestremere, Klingler, Frisch, and Papper), 820

G

GALLAGHER, NEIL I., SEIFERT, GREGORY L., CALLINAN, JOHN L., MAES, AUDREY A., AND LANGE, ROBERT D. Influence of erythropoietin on erythropoiesis in polycythemic rats, 258
GARCIA, MANUEL. (*See* Petersdorf, Swarner, and Garcia), 745
GEIGER, MARIO T., AND RATH, CHARLES E. Occurrence of two hemorrhagic disorders with antihemophilic factor (AHF) deficiency in the same family: Classical hemophilia and von Willebrand's disease, 424
GERALD, PARK S. (*See* Naiman and Gerald), 508
GLYNN, MICHAEL F. (*See* Dern, Monti, and Glynn), 280
—. (*See* Monti, Glynn, and Dern), 272
GOKCEN, MUHARREM. (*See* Wolf, Gokcen, and Good), 230
GOMBOS, E. A. (*See* Baldwin, Gombos, and Chasis), 832
GONDER, MAURICE J. (*See* Barnes, Soanes, Mamrod, Gonder, and Shulman), 578
GOOD, ROBERT A. (*See* Wolf, Gokcen, and Good), 230
GORMAN, J. G., DI RE, J., TREACY, A. M., AND CAHAN, A. The application of $-Xg^a$ antiserum to the question of red cell mosaicism in female heterozygotes, 642
GRANDE, FRANCISCO. (*See* Schultz, Grismer, and Grande), 494
GREENBERG, NINA. (*See* Baldridge and Greenberg), 700
GREGORY, C. H. Studies of conjugated bilirubin. III. Pigment I, a complex of conjugated and free bilirubin, 917
GRISMER, JEROME T. (*See* Schultz, Grismer, and Grande), 494
GUENTHER, RAYMOND W. (*See* Lennette, Jensen, Guenther, and Magoffin), 780
GUERRA, R. (*See* Sheehy, Santini, Guerra, Angel, and Plough), 650
GUSDON, JOHN P., JR. The epinephrine test in pregnancy, 789

H

HADDAD, HESKEL M. (*See* Reichlin and Haddad), 44
HAJJ, SAMIR N. (*See* Cotran, Thrupp, Hajj, Zangwill, Vivaldi, and Kass), 987
HALBERT, S. P., BIRCHER, R., AND DAHLE, E. Studies on the mechanism of the lethal toxic action of streptolysin "O" and the protection by certain antiserotonin drugs, 437
HAMMERSTROM, RICHARD A. New device for arterial bleeding of the rabbit, 352
HANNA, CHARLES H., AND MARSHALL, LOUISE H. Strain gage device to evaluate edema formation in dogs and rats, 1038
HANNA, SAMIR, ALCOCK, NANCY, LAZARUS, BERNICE, AND MULLAN, BRIDGET. Changes in gut and urinary citrates following a low calcium and magnesium diet and administration of vitamin D_2, 220
HARRIS, J. J. (*See* Crane, Harris, and Holloway), 51
HATCH, FREDERICK T. (*See* Lees and Hatch), 518
HATCHETT, B. F. (*See* Threefoot, Kent, and Hatchett), 9

HAYASHI, JAMES A. (*See* Wolfe, Hayashi, Walsh, and Barkulis), 459
HESTRIN, SHLOMO. (*See* Schechter and Hestrin), 962
HINDBERG, JØRGEN, AND WIETH, JENS OTTO. Quantitative determination of methanol in biologic fluids, 355
HINER, RICHARD. (*See* Boyer and Hiner), 879
HIRAKAWA, AKINA, AND CORCORAN, A. C. I^{131}-O-iodohippurate excretion and a quantitative formulation of the radioisotope renogram as indices of bilateral and unilateral renal functions, 795
HOLLOWAY, J. E. (*See* Crane, Harris, and Holloway), 51
HORN, MARGIE. (*See* Eisenberg), 755
HOWE, CHESTER W., AND MARSTON, ALICE T. Qualitative and quantitative bacteriologic studies on hospital air as related to postoperative wound sepsis, 808
HUNTER, SANDRA. (*See* Sandberg, Rezai, Bangayan, Bellet, Feinberg, and Hunter), 592
HUTCHINSON, FREDERICK. (*See* Stewart, Hutchinson, and Fleming), 858

J

JANSZ, ANTON. (*See* Abels, Bouma, Jansz, Woldring, Bakker, and Nieweg), 893
JENSEN, FLORENCE W. (*See* Lennette, Jensen, Guenther, and Magoffin), 780

K

KALBFLEISCH, JOHN M. (*See* McKee, Kalbfleisch, and Bird), 203
KASS, EDWARD H. (*See* Cotran, Thrupp, Hajj, Zangwill, Vivaldi, and Kass), 987
KATZ, JAY H., DIMASE, JOSEPH, AND DONALDSON, ROBERT M., JR. Simultaneous administration of gastric juice–bound and free radioactive cyanocobalamin: Rapid procedure for differentiating between intrinsic factor deficiency and other causes of vitamin B_{12} malabsorption, 266
KATZMAN, MARSHALL B. (*See* Shen, Katzman, Francis, and Kinsella), 174
KELLY, BARBARA MIKUS. (*See* Beutler, Duron, and Kelly), 882
KENT, W. T. (*See* Threefoot, Kent, and Hatchett), 9
KERN, FRED, JR. (*See* Belding and Kern), 560
—. (*See* Rappoport and Kern), 550
KESNER, LEO, AND MUNTWYLER, EDWARD. Determination of nonnitrogenous organic acids in the urine in conditions of altered acid-base balance, 604
KINSELLA, RALPH A., JR. (*See* Shen, Katzman, Francis, and Kinsella), 174
KLINGLER, EUGENE L., JR. (*See* Lancestremere, Klingler, Frisch, and Papper), 820
KRISTENSEN, POUL. (*See* Svensmark and Kristensen), 501
KRIVIT, WILLIAM. (*See* Lowman and Krivit), 1042
KURTIDES, EFSTRATIOS S., RAMBACH, WALTER A., ALT, HOWARD L., AND WURSTER, JOHN C. Effect of erythropoietin on tritiated thymidine incorporation by the rat spleen, 23

L

LACY, WILLIAM W. (*See* Crofford and Lacy), 708
LANCESTREMERE, RUBEN G., KLINGLER, EUGENE L., JR., FRISCH, EMANUEL, AND PAPPER, SOLOMON. Simultaneous determination of cardiac output and renal function in patients with Laennec's cirrhosis during the administration of the pressor amine, metaraminol, 820
LANGE, ROBERT D. (*See* Gallagher, Seifert, Callinan, Maes, and Lange), 258
LAZARUS, BERNICE. (*See* Hanna, Alcock, Lazarus, and Mullan), 220
LEES, ROBERT S., AND HATCH, FREDERICK T. Sharper separation of lipoprotein species by paper electrophoresis in albumin-containing buffer, 518
LEEVY, CARROLL M. In vitro studies of hepatic DNA synthesis in percutaneous liver biopsy specimens, 761
LENNETTE, EDWIN H., JENSEN, FLORENCE W., GUENTHER, RAYMOND W., AND MAGOFFIN, ROBERT L. Serologic responses to para-influenza viruses in patients with mumps virus infection, 780
LISH, PAUL M., AND MCKINNEY, GORDON R. Pharmacology of methdilazine. II. Some determinants and limits of action on vascular permeability and inflammation in model systems, 1015
LOMANTO, B. (*See* Dioguardi, Agostoni, Fiorelli, and Lomanto), 713
LOTZ, MYRON. (*See* Smith and Lotz), 211
LOWMAN, JAMES T., AND KRIVIT, WILLIAM. New in vivo tracer method with the use of nonradioactive isotopes and activation analysis, 1042
LUDVIGSEN, BERNHARD. DPNH method for the estimation of serum aldolase activity, 329
LUFT, ULRICH C. (*See* Cardus, Luft, and Beck), 944

M

MABRY, C. CHARLTON, AND TODD, WILLIS R. Quantitative measurement of individual and total free amino acids in urine, 146
MCAFEE, JOHN G. (*See* Nelp, McAfee, and Wagner), 158
MCCONNELL, RICHARD B. (*See* Evans, McConnell, Donohoe, Sircus, and Crean), 660
MACINTYRE, WILLIAM J. (*See* Moses and MacIntyre), 483

McKEE, PATRICK A., KALBFLEISCH, JOHN M., AND BIRD, ROBERT M. Incidence and significance of cryofibrinogenemia, 203

McKINNEY, GORDON R. (*See* Lish and McKinney), 1015

MAES, AUDREY A. (*See* Gallagher, Seifert, Callinan, Maes, and Lange), 258

MAES, H. (*See* Verstraete, Amery, Maes, and Vermylen), 926

MAGOFFIN, ROBERT L. (*See* Lennette, Jensen, Guenther, and Magoffin), 780

MAMROD, LOUISE. (*See* Barnes, Soanes, Mamrod, Gonder, and Shulman), 578

MANFREDI, FELICE. Calculation of total body intracellular pH in normal human subjects from the distribution of 5, 5-dimethyl-2, 4-oxazolidinedione (D MO), 1005

MANGOLD, HELMUT K. (*See* Tuna, Mangold, and Mosser), 620

MARSHALL, LOUISE H. (*See* Hanna and Marshall), 1038

MARSTON, ALICE T. (*See* Howe and Marston), 808

MELLMAN, WILLIAM J., AND WETTON, RITA. Depression of the tuberculin reaction by attenuated measles virus vaccine, 453

MIALE, AUGUST, JR. (*See* Prasad, Miale, Farid, Sandstead, and Schulert), 537

MONTI, ALBERTO, GLYNN, MICHAEL F., AND DERN, RAYMOND J. Studies with doubly labeled iron. III. An evaluation of ferrokinetic data obtained with various chemical forms of tracer iron, 272

—. (*See* Dern, Monti, and Glynn), 280

MOSES, JOHN M., AND MACINTYRE, WILLIAM J. Effect of endotoxin on simultaneously determined cardiac output and hepatic blood flow in rabbits, 483

MOSSBERG, SANFORD M., THAYER, WALTER R., JR., AND SPIRO, HOWARD M. Azotemia and gastric acidity: The effect of intravenous urea on gastric acid and gastric ammonium production in man, 469

MOSSER, DONN G. (*See* Tuna, Mangold, and Mosser), 620

MUELLER, PETER S., AND EVANS, WARREN H. Responses of plasma glycerol concentrations to epinephrine, norepinephrine, glucose, insulin, and prolonged fasting in man, 953

MULLAN, BRIDGET. (*See* Hanna, Alcock, Lazarus, and Mullan), 220

MUNTWYLER, EDWARD. (*See* Kesner and Muntwyler), 604

MURPHY, E. A., MUSTARD, J. F., ROWSELL, H. C., AND DOWNIE, H. G. Quantitative studies on the effect of Dicumarol on experimental thrombosis, 935

MURPHY, JOHN R. Erythrocyte metabolism. V. Active cation transport and glycolysis, 567

MUSTARD, J. F. (*See* Murphy, Mustard, Rowsell, and Downie), 935

N

NAIMAN, J. LAWRENCE, AND GERALD, PARK S. Fetal hemoglobin: Improved separation by a modified agar gel electrophoresis, 508

NELP, WIL B., MCAFEE, JOHN G., AND WAGNER, HENRY N., JR. Single measurement of plasma radioactive vitamin B_{12} as a test for pernicious anemia, 158

NIEWEG, HENDRIK O. (*See* Abels, Bouma, Jansz, Woldring, Bakker, and Nieweg), 893

NORÉN, INGRID, AND QUICK, ARMAND J. Effect of warfarin, ethyl biscoumacetate, and phenindione on the factors of the prothrombin complex, 302

O

OHANIAN, SARKIS H. (*See* Beall), 67

ORÖ, LARS. (*See* Carlson, Ekelund, and Orö), 724

OSBORNE, DAVID. (*See* Fleisher and Wakim), 76, 98

—. (*See* Wakim and Fleisher), 86, 107

P

PANKOW, MARCELLA. (*See* Fleisher and Wakim), 76, 98

—. (*See* Wakim and Fleisher), 86, 107

PAPPER, SOLOMON. (*See* Lancestremere, Klingler, Frisch, and Papper), 820

PERKINS, JAMES M. (*See* Broitman and Zamcheck), 476

PERRY, SEYMOUR. Coagulation factors in patients with plasma protein disorders, 411

PETERSDORF, ROBERT G., SWARNER, DAVID M., AND GARCIA, MANUEL. Studies on the pathogenesis of meningitis. III. Relationship of phagocytosis to the fall in cerebrospinal fluid sugar in experimental pneumococcal meningitis, 745

PLOUGH, I. C. (*See* Sheehy, Santini, Guerra, Angel, and Plough), 650

PRASAD, ANANDA S., MIALE, AUGUST, JR., FARID, Z., SANDSTEAD, H. H., AND SCHULERT, ARTHUR R. Zinc metabolism in patients with the syndrome of iron deficiency anemia, hepatosplenomegaly, dwarfism, and hypogonadism, 537

Q

QUICK, ARMAND J. (*See* Norén and Quick), 302

R

RAMBACH, WALTER A. (*See* Kurtides, Rambach, Alt, and Wurster), 23

RAMMELKAMP, CHARLES H., JR. Our responsibilities (Presidential address), 5

RANTZ, LOWELL. (*See* Rauch and Rantz), 529
RAPPOPORT, WILLIAM J., AND KERN, FRED, JR. Gastric urease activity in normal subjects and in subjects with cirrhosis, 550
RATH, CHARLES E. (*See* Geiger and Rath), 424
RAUCH, HELENE C., AND RANTZ, LOWELL A. Immunofluorescent identification of Group A streptococci in direct throat smears, 529
RECTOR, FLOYD C., JR. (*See* Bloomer, Trammell, and Rector), 692
REEVE, E. B. (*See* Takeda and Reeve), 183
REICHLIN, SEYMOUR, AND HADDAD, HESKEL M. Influence of thyrotrophin on radiosulfate uptake by orbital and other tissues of the guinea pig, 44
REYNAFARJE, BALTAZAR. Simplified method for the determination of myoglobin, 138
REZAI, MOHAMMED. (*See* Sandberg, Rezai, Bangayan, Bellet, Feinberg, and Hunter), 592
ROWSELL, H. C. (*See* Murphy, Mustard, Rowsell, and Downie), 935
RUBINSTEIN, H. M., AND DIETZ, A. A. Human serum cholinesterase. II. A comparison of the hydrolysis rates of acetylcholine and benzoylcholine by normal and abnormal sera, 979

S

SALMON, WILLIAM D., JR., BOWER, PATRICIA H., AND THOMPSON, EMMA Y. Effect of protein anabolic steroids on sulfate incorporation by cartilage of male rats, 120
SALTMAN, PAUL. (*See* Charley, Stitt, Shore, and Saltman), 397
SANDBERG, HERSCHEL, REZAI, MOHAMMED, BANGAYAN, TEOFILO T., BELLET, SAMUEL, FEINBERG, LEONARD J., AND HUNTER, SANDRA. Organ distribution of fibrinolytic activity in man, 592
SANDSTEAD, H. H. (*See* Prasad, Miale, Farid, Sandstead, and Schulert), 537
SANTINI, R., JR. (*See* Sheehy, Santini, Guerra, Angel, and Plough), 650
SCHECHTER, ISRAEL, AND HESTRIN, SHLOMO. Levan as a blood volume expander: Relationship of polymer size and behavior in the organism, 962
SCHILLING, R. F. (*See* Chosy and Schilling), 907
SCHREK, ROBERT. Motility of normal and leukemic human lymphocytes, 34
SCHULERT, ARTHUR R. (*See* Prasad, Miale, Farid, Sandstead, and Schulert), 537
SCHULTZ, ALVIN L., GRISMER, JEROME T., AND GRANDE, FRANCISCO. Absorption of radioactive albumin from the lungs of normal dogs, 494
SCHWEIZER, M. (*See* Dioguardi, Agostoni, Fiorelli, and Lomanto), 713
SEIFERT, GREGORY L. (*See* Gallagher, Seifert, Callinan, Maes, and Lange), 258
SHEARN, MARTIN A., EPSTEIN, WALLACE V., ENGLEMAN, EPHRAIM P., AND TAYLOR, WILLIAM F. Relationship of serum proteins and rheumatoid factor to serum viscosity in rheumatic diseases, 677
SHEEHY, T. W., SANTINI, R., JR., GUERRA, R., ANGEL, R., AND PLOUGH, I. C. Tritiated folic acid as a diagnostic aid in folic acid deficiency, 650
SHEN, NAI-HSUAN CHANG, KATZMAN, MARSHALL B., FRANCIS, FAITH ELLEN, AND KINSELLA, RALPH A., JR. Determination of pregnanolone, pregnanediol, and pregnanetriol in urine, 174
SHORE, ERNEST. (*See* Charley, Stitt, Shore, and Saltman), 397
SHULMAN, SIDNEY. (*See* Barnes, Soanes, Mamrod, Gonder, and Shulman), 578
SIRCUS, WILFRED. (*See* Evans, McConnell, Donohoe, Sircus, and Crean), 660
SMITH, JAMES, AND WHITE, ARTHUR. Activity of 3 penicillins against staphylococci, 129
SMITH, LLOYD H., JR., AND LOTZ, MYRON. Studies on congenital orotic aciduria: Comparison of orotic acid metabolism in microorganisms, 211
SOANES, WARD A. (*See* Barnes, Soanes, Mamrod, Gonder, and Shulman), 578
SPIRO, HOWARD M. (*See* Mossberg, Thayer, and Spiro), 469
STEWART, WILLIAM K., HUTCHINSON, FREDERICK, AND FLEMING, LAURA W. The estimation of magnesium in serum and urine by atomic absorption spectrophotometry, 858
STITT, CLYDE. (*See* Charley, Stitt, Shore, and Saltman), 397
STOKOE, NANCY M. (*See* Copp), 1029
STORMONT, JAMES M., AND WATERHOUSE, CHRISTINE. Effect of variations in previous diet on fasting plasma lipids, 826
SVENSMARK, OLE, AND KRISTENSEN, POUL. Determination of diphenylhydantoin and phenobarbital in small amounts of serum, 501
SWARNER, DAVID M. (*See* Petersdorf, Swarner, and Garcia), 745

T

TAKEDA, Y., AND REEVE, E. B. Studies of the metabolism and distribution of albumin with autologous I^{131}-albumin in healthy men, 183
TARSHIS, MAURICE S. Media for distinguishing human and bovine tubercle bacilli from other mycobacteria, 308
TAYLOR, WILLIAM F. (*See* Shearn, Epstein, Engleman, and Taylor), 677
THAYER, WALTER R., JR. (*See* Mossberg, Thayer, and Spiro), 469
THOMPSON, EMMA Y. (*See* Salmon, Bower, and Thompson), 120

THREEFOOT, S. A., KENT, W. T., AND HATCHETT, B. F., with the photographic assistance of TUCKER, HARRY A. Lymphaticovenous and lymphaticolymphatic communications demonstrated by plastic corrosion models of rats and by postmortem lymphangiography in man, 9

THRUPP, LAURI D. (*See* Cotran, Thrupp, Hajj, Zangwill, Vivaldi, and Kass), 987

TODD, WILLIS R. (*See* Mabry and Todd), 146

TRAMMELL, DOYLE D. (*See* Bloomer, Trammell, and Rector), 692

TREACY, A. M. (*See* Gorman, Di Re, Treacy, and Cahan), 642

TUCKER, HARRY A. (*See* Threefoot, Kent, and Hatchett), 9

TUNA, NAIP, MANGOLD, HELMUT K., AND MOSSER, DONN G. Re-evaluation of the I^{131}-triolein absorption test, 620

U

ULLMANN, LISA. (*See* Czaczkes, Ullmann, Ullmann, and Bar-Kochba), 873

ULLMANN, THEODOR D. (*See* Czaczkes, Ullmann, Ullmann, and Bar-Kochba), 873

V

VALBERG, LESLIE S. (*See* Cook and Valberg), 317

VAN HOOK, EMORY. (*See* Fleisher and Wakim), 76, 98

—. (*See* Wakim and Fleisher), 86

VERMYLEN, J. (*See* Verstraete, Amery, Maes, and Vermylen), 926

VERSTRAETE, M., AMERY, A., MAES, H., AND VERMYLEN, J. Influence of chlorpropamide and glucose on fibrinolytic activity, 926

VIVALDI, ENNIO. (*See* Cotran, Thrupp, Hajj, Zangwill, Vivaldi, and Kass), 987

W

WAGNER, HENRY N., JR. (*See* Nelp, McAfee, and Wagner), 158

WAKIM, KHALIL G., AND FLEISHER, GERARD A., with the technical assistance of PANKOW, MARCELLA, OSBORNE, DAVID, CLAPP, LESTER, AND VAN HOOK, EMORY. The fate of enzymes in body fluids—an experimental study. II. Disappearance rates of glutamic-oxalacetic transaminase I under various conditions, 86

—, —, —, —, —. The fate of enzymes in body fluids—an experimental study. IV. Relationship of the reticuloendothelial system to activities and disappearance rates of various enzymes, 107

—. (*See* Fleisher and Wakim), 76, 98

WALSH, GERALD. (*See* Wolfe, Hayashi, Walsh, and Barkulis), 459

WATERHOUSE, CHRISTINE. (*See* Stormont and Waterhouse), 826

WETTON, RITA. (*See* Mellman and Wetton), 453

WHITE, ARTHUR. (*See* Smith and White), 129

WIETH, JENS OTTO. (*See* Hindberg and Wieth), 355

WOLDRING, MARTINUS G. (*See* Abels, Bouma, Jansz, Woldring, Bakker, and Nieweg), 893

WOLF, JOHN K., GOKCEN, MUHARREM, AND GOOD, ROBERT A. Heredo-familial disease of the mesenchymal tissues: Clinical and laboratory study of one family, 230

WOLFE, CHARLES K., JR., HAYASHI, JAMES A., WALSH, GERALD, AND BARKULIS, S. S. Type-specific antibody response in man to injections of cell walls and M protein from Group A, Type 14 streptococci, 459

WURSTER, JOHN C. (*See* Kurtides, Rambach, Alt, and Wurster), 23

Z

ZAMCHECK, NORMAN. (*See* Broitman and Zamcheck), 476

ZANGWILL, DONALD P. (*See* Cotran, Thrupp, Hajj, Zangwill, Vivaldi, and Kass), 987

Subject index*

A

Acetylcholine and benzoylcholine, comparison of hydrolysis rates by normal and abnormal sera, 979
Acid, folic, tritiated, diagnostic aid in folic acid deficiency, 650
ketonic, in human bile, evidence for, 629
orotic, metabolism, comparison in microorganisms, 211
Acid mucopolysaccharides of normal human urine, 633
Acid-base balance, determination of nonnitrogenous organic acids in urine in conditions of, 604
Acidity, gastric, and azotemia, effect of intravenous urea on gastric acid and gastric ammonium production in man, 469
Acids, amino, free, individual and total, in urine, quantitative measurement, 146
fatty, plasma, free, and glycerol, arterial concentration during and after prolonged exercise in normal men, 724
organic, nonnitrogenous, determination in urine in conditions of altered acid-base balance, 604
Aciduria, orotic, congenital, comparison of orotic acid metabolism in microorganisms, 211
Activation analysis and nonradioactive isotopes, new in vivo tracer method with, 1042
Agar gel electrophoresis, modified, improved separation of fetal hemoglobin by, 508
Agglutinogen and fucose contents of gastric juice in subjects with peptic ulcers, 660
Air, hospital, as related to postoperative wound sepsis, qualitative and quantitative bacteriologic studies on, 808
Albumin, metabolism and distribution, with autologous I^{131}-albumin in healthy men, 183
radioactive, absorption from lungs of normal dogs, 494
Albumin-containing buffer, sharper separation of lipoprotein species by paper electrophoresis in, 518
Aldolase activity, serum, DPNH method for estimation, 329
Aldosteronism, primary, exchangeable sodium and potassium in, 51
Amino acids in urine, free, individual and total, quantitative measurement, 146
Ammonium, gastric, and gastric acid, effect of intravenous urea on production in man, 469
Anabolic steroids, protein, effect on sulfate incorporation by cartilage of male rats, 120
Anemia, iron deficiency, hepatosplenomegaly, dwarfism, and hypogonadism, zinc metabolism in patients with syndrome of, 537
pernicious, experiments on intrinsic factor antibody in serum from patients with, 893
single measurement of plasma radioactive vitamin B_{12} as test for, 158
Antibody, intrinsic factor, in serum from patients with pernicious anemia, experiments on, 893
Antibody response, type-specific, in man, to injections of cell walls and M protein from Group A, Type 14 streptococci, 459
study, bacteriologic, pathologic, and fluorescent, retrograde E. coli pyelonephritis in rats, 987
Antifungal agent, X-5079C, altered sulfobromopthalein metabolism in dog induced by, 730
Antigen, complement-fixing, in normal human liver extracts, nature, 67
Antihemophilic factor deficiency, occurrence of, classical hemophilia and von Willebrand's disease with, in same family, 424
Antiserotonin drugs, certain, mechanism of lethal toxic action of streptolysin "O" and protection by, 437
Arterial bleeding of rabbit, new device for, 352

*January, pp. 1-182; February, pp. 183-362; March, pp. 363-536; April, pp. 537-712; May, pp. 713-892; June, pp. 893-1066.

Arterial—Cont'd
concentration of plasma free fatty acids and glycerol during and after prolonged exercise in normal men, 724
Atomic absorption spectrophotometry, estimation of magnesium in serum and urine by, 858
Autoradiography, apparatus for preparation of whole animal sections for, 324
Azotemia and gastric acidity, effect of intravenous urea on gastric acid and gastric ammonium production in man, 469

B

B_{12}, vitamin, malabsorption, simultaneous administration of gastric juice–bound and free radioactive cyanocobalamin, rapid procedure for differentiating between intrinsic factor deficiency and other causes, 266
Bacilli, tubercle, human and bovine, media for distinguishing from other mycobacteria, 308
Benzoylcholine and acetylcholine, comparison of hydrolysis rates by normal and abnormal sera, 979
Bile, human, evidence for ketonic acid in, 629
Bilirubin, pigment I, complex of conjugated and free bilirubin, 917
Biopsy specimens, liver, percutaneous, in vitro studies of hepatic DNA synthesis in, 761
Biscoumacetate, ethyl, warfarin, and phenindione, effect on factors of prothrombin complex, 302
Bleeding, arterial, of rabbit, new device for, 352
Blood, method for determination of histidine in, 700
Blood cell, red, content, of water, sodium, and potassium in normal subjects, determination, 873
flow, hepatic, and cardiac output in rabbits, simultaneously determined, effect of endotoxin on, 483
glutathione, improved method for determination, 882
lipids, arterial concentration of plasma free fatty acids and glycerol during and after prolonged exercise in normal men, 724
sugar in mice, rapid micromethod for determination, 708
volume expander, levan as, relationship of polymer size and behavior in organisms, 962
Body fluids, fate of enzymes in, disappearance rates of glutamic-oxalacetic transaminase I under various conditions, 86
glutamic-oxalacetic transaminase II under various conditions, 98
glutamic-pyruvic transaminase under various conditions, 76
Body fluids—Cont'd
relationship of reticuloendothelial system to activities and disappearance rates of various enzymes, 107
Bovine and human tubercle bacilli, media for distinguishing from other mycobacteria, 308
Breathing, oxygen cost in children, 292
Buffer, albumin-containing, sharper separation of lipoprotein species by paper electrophoresis in, 518

C

Calcium and magnesium diet, low, and administration of vitamin D_2, changes in gut and urinary citrates following, 220
simple and precise micromethod for EDTA titration, 1029
Carbon monoxide rebreathing method, measurements of total circulating hemoglobin with, 944
Cardiac output and hepatic blood flow in rabbits, simultaneously determined, effect of endotoxin on, 483
and renal function in patients with Laennec's cirrhosis, simultaneous determination during the administration of pressor amine, metaraminol, 820
Cartilage of male rats, effect of protein anabolic steroids on sulfate incorporation by, 120
Cell, red blood, content of water, sodium, and potassium in normal subjects, determination, 873
mosaicism, in female heterozygotes, application of $-Xg^a$ antiserum to, 642
Cell walls and M protein from Group A, Type 14 streptococci, type-specific response in man to injections, 459
Cerebrospinal fluid sugar, relationship of phagocytosis to fall in, in experimental pneumococcal meningitis, 745
Children, oxygen cost of breathing in, 292
Chlorpropamide and glucose, influence on fibrinolytic activity, 926
Cholinesterase, serum, human, comparison of hydrolysis rates of acetylcholine and benzoylcholine by normal and abnormal sera, 979
Chromatography, ion exchange, gel filtration, and ultrafiltration, use of, to purify intrinsic factor of human gastric juice, 907
Cirrhosis, gastric urease activity in normal subjects and in subjects with, 550
Laennec's, simultaneous determination of cardiac output and renal function in patients with, during administration of pressor amine, metaraminol, 820

Citrates, gut and urinary, changes in, following low calcium and magnesium diet and administration of vitamin D_2, 220
Coagulation factors in patients with plasma protein disorders, 411
Complement-fixing antigen in normal human liver extracts, nature, 67
Congenital orotic aciduria, comparison of orotic acid metabolism in microorganisms, 211
Corrosion models of rats, plastic, lymphaticovenous and lymphaticolymphatic communications demonstrated by, 9
Cryofibrinogenemia, incidence and significance, 203
Cyanocobalamin, radioactive, gastric juice–bound and free, simultaneous administration, rapid procedure for differentiating between intrinsic factor deficiency and other causes of vitamin B_{12} malabsorption, 266

D

D_2, vitamin, administration, and low calcium and magnesium diet, changes in gut and urinary citrates following, 220
Dehydrogenase, lactic, of normal human granulocytes, characterization, 713
Densitometry, direct, and high-voltage paper electrophoresis, application to urinary excretions of amino acids in normal subjects, 146
Desoxyribonuclease synthesis, hepatic, in percutaneous liver biopsy specimens, in vitro studies, 761
Dicumarol, effect on experimental thrombosis, quantitative studies, 935
Diet, low calcium and magnesium, and administration of vitamin D_2, changes in gut and urinary citrates following, 220
previous, variations in, effect on fasting plasma lipids, 826
Diisopropylfluorophosphate, labeled, simultaneous measurement of survival of two populations of erythrocytes with, 249
5,5-Dimethyl-2,4-oxazolidinedione (DMO), calculation of total body intracellular pH in normal human subjects from distribution, 1005
Diphenylhydantoin and phenobarbital, determination in small amounts of serum, 501
DMO, 5,5-dimethyl-2,4-oxazolidinedione, calculation of total body intracellular pH in normal human subjects from distribution, 1005
DNA synthesis, hepatic, in percutaneous liver biopsy specimens, in vitro studies, 761
DPNH method for estimation of serum aldolase activity, 329
Drugs, antiserotonin, certain, mechanism of lethal toxic action of streptolysin "O" and protection by, 437
Dwarfism, hypogonadism, iron deficiency anemia, and hepatosplenomegaly, zinc metabolism in patients with syndrome of, 537

E

Edema formation in dogs and rats, strain gage device to evaluate, 1038
Editors, letter from, 1
EDTA titration of calcium, simple and precise micromethod for, 1029
Electrophoresis, agar gel, modified, improved separation of fetal hemoglobin by, 508
paper, high-voltage, and direct densitometry, application to urinary excretions of amino acids in normal subjects, 146
in albumin-containing buffer, sharper separation of lipoprotein species by, 518
starch-gel, modified apparatus for, 879
thin-layer, and plastification method, 166
Endotoxin, effect on simultaneously determined cardiac output and hepatic blood flow in rabbits, 483
Enzymes, fate in body fluids, disappearance rates of glutamic-oxalacetic transaminase I under various conditions, 86
glutamic-oxalacetic transaminase II under various conditions, 98
glutamic-pyruvic transaminase under various conditions, 76
relationship of reticuloendothelial system to activities and disappearance rates of various enzymes, 107
Enzymic cycling, simplified method for determination of reduced triphosphopyridine nucleotide by, 889
Epinephrine and *l*-norepinephrine, changes in sodium and water excretion induced by, in normotensive and hypertensive subjects, 832
norepinephrine, glucose, insulin, and prolonged fasting in man, responses of plasma glycerol concentrations to, 953
Epinephrine test in pregnancy, 789
Erythrocyte metabolism, active cation transport and glycolysis, 567
Erythrocytes, simultaneous measurement of survival of two populations, with labeled diisopropylfluorophosphate, 249
Erythropoiesis, influence of erythropoietin on, in polycythemic rats, 258
Erythropoietin, effect on tritiated thymidine incorporation by rat spleen, 23
influence on erythropoiesis in polycythemic rats, 258

Escherichia coli pyelonephritis, retrograde, in rats, bacteriologic, pathologic, and fluorescent antibody study, 987
Ethyl biscoumacetate, warfarin, and phenindione, effect on factors of prothrombin complex, 302
Exercise, prolonged, in normal men, arterial concentration of plasma free fatty acids and glycerol during and after, 724
studies on blood lipids during, 724

F

Fasting, prolonged, in man, epinephrine, norepinephrine, glucose, insulin, and responses of plasma glycerol concentrations to, 953
Fatty acids, plasma, free, and glycerol, arterial concentration during and after prolonged exercise in normal men, 724
Ferrokinetic data obtained with various chemical forms of tracer iron, studies with doubly labeled iron, 272
Fetal hemoglobin, improved separation by modified agar gel electrophoresis, 508
Fibrinolytic activity, influence of chlorpropamide and glucose on, 926
in man, organ distribution, 592
Filtration, gel, ion exchange chromatography, and ultrafiltration, use of, to purify intrinsic factor of human gastric juice, 907
Fluids, body, fate of enzymes in, disappearance rates of glutamic-oxalacetic transaminase I under various conditions, 86
glutamic-oxalacetic transaminase II under various conditions, 98
glutamic-pyruvic transaminase under various conditions, 76
relationship of reticuloendothelial system to activities and disappearance rates of various enzymes, 107
Fluorescent analysis of *d*-tubocurarine hydrochloride, 338
bacteriologic, and pathologic antibody study of retrograde E. coli pyelonephritis in rats, 987
Folic acid, tritiated, diagnostic aid in folic acid deficiency, 650
Fucose and agglutinogen contents of gastric juice in subjects with peptic ulcers, 660
concentration in gastric juice, estimation, 687

G

Gamma counting, evaluation and use of large plastic scintillator for, 317
Gastric acidity and azotemia, effect of intravenous urea on gastric acid and gastric ammonium production in man, 469
Gastric—Cont'd
ammonium and gastric acid production in man, effect of intravenous urea on, 469
juice–bound and free radioactive cyanocobalamin, simultaneous administration, rapid procedure for differentiating between intrinsic factor deficiency and other causes of vitamin B_{12} malabsorption, 266
juice, estimation of fucose concentration in, 687
human, intrinsic factor, use of ion exchange chromatography, gel filtration, and ultrafiltration to purify, 907
in subjects with peptic ulcers, fucose and agglutinogen contents, 660
urease activity in normal subjects and in subjects with cirrhosis, 550
Gel filtration, ion exchange chromatography, and ultrafiltration, use of, to purify intrinsic factor of human gastric juice, 907
starch-, electrophoresis, modified apparatus for, 879
thin-layer, electrophoresis and plastification method, 166
Glucose and chlorpropamide, influence on fibrinolytic activity, 926
epinephrine, norepinephrine, insulin, and prolonged fasting in man, responses of plasma glycerol concentrations to, 953
Glutamic-oxalacetic transaminase I, disappearance rates under various conditions, 86
II, disappearance rates under various conditions, 98
Glutamic-pyruvic transaminase, disappearance rates under various conditions, 76
Glutathione, blood, improved method for determination, 882
Glycerol concentrations, plasma, responses to epinephrine, norepinephrine, glucose, insulin, and prolonged fasting in man, 953
and plasma free fatty acids, arterial concentration during and after prolonged exercise in normal men, 724
Glycolysis, erythrocyte metabolism, active cation transport and, 567
Granulocytes, human, normal, characterization of lactic dehydrogenase, 713
Gut and urinary citrates, changes in, following low calcium and magnesium diet and administration of vitamin D_2, 220

H

Hematocrit and serum protein concentration, effect of posture and position of venous sampling site on, 755

Hemoglobin, fetal, improved separation by modified agar gel electrophoresis, 508
total circulating, measurements with carbon monoxide rebreathing method, 944
Hemophilia, classical, and von Willebrand's disease, with antihemophilic factor (AHF) deficiency, in same family, 424
Hemorrhagic disorders with antihemophilic factor (AHF) deficiency in same family, classical hemophilia and von Willebrand's disease, 424
Hepatic blood flow and cardiac output in rabbits, simultaneously determined, effect of endotoxin on, 483
DNA synthesis in percutaneous liver biopsy specimens, in vitro studies, 761
Hepatosplenomegaly, dwarfism, hypogonadism, and iron deficiency anemia, zinc metabolism in patients with syndrome of, 537
Heterozygotes, female, application of $-Xg^a$ antiserum to question of red cell mosaicism in, 642
Histidine in blood, method for determination, 700
Hospital air as related to postoperative wound sepsis, qualitative and quantitative bacteriologic studies on, 808
Hydrochloride, *d*-tubocurarine, fluorescent analysis, 338
Hydrolysis rates of acetylcholine and benzoylcholine by normal and abnormal sera, comparison, 979
Hypertensive and normotensive subjects, changes in sodium and water excretion induced by epinephrine and *l*-norepinephrine in, 832
Hypogonadism, iron deficiency anemia, hepatosplenomegaly, and dwarfism, zinc metabolism in patients with syndrome of, 537

I

I^{131}-albumin, autologous, in healthy men, metabolism and distribution of albumin with, 183
I^{131}-labeled human transferrin, metabolism, 363
I^{131}-O-iodohippurate excretion and quantitative formulation of radioisotope renogram as indices of bilateral and unilateral renal functions, 795
I^{131}-triolein absorption test, re-evaluation, 620
Immunofluorescent identification of Group A streptococci in direct throat smears, 529
Inflammation and vascular permeability in model systems, some determinants of action on, 1015
Insulin, epinephrine, norepinephrine, glucose, and prolonged fasting in man, responses of plasma glycerol concentrations to, 953
Intestinal iron absorption, regulation, 397
Intrinsic factor antibody in serum from patients with pernicious anemia, experiments on, 893
of human gastric juice, use of ion exchange chromatography, gel filtration, and ultrafiltration to purify, 907
Ion exchange chromatography, gel filtration, and ultrafiltration, use of, to purify intrinsic factor of human gastric juice, 907
Iron absorption, intestinal, regulation, 397
deficiency anemia, hepatosplenomegaly, dwarfism, and hypogonadism, zinc metabolism in patients with syndrome of, 537
doubly labeled, evaluation of ferrokinetic data obtained with various chemical forms of tracer iron, 272
evidence for second iron-binding system in plasma, 280
tracer, evaluation of ferrokinetic data obtained with various chemical forms of, studies with doubly labeled iron, 272
Iron-binding system in plasma, second, evidence for, 280
Isotopes, nonradioactive, and activation analysis, new in vivo tracer method with, 1042

K

Ketonic acid in human bile, evidence for, 629

L

Lactic dehydrogenase of normal human granulocytes, characterization, 713
Laennec's cirrhosis, simultaneous determination of cardiac output and renal function in patients with, during administration of pressor amine, metaraminol, 820
Letter from the editors, 1
Leukemic and normal lymphocytes, human, motility, 34
Levan as blood volume expander, relationship of polymer size and behavior in organism, 962
Lipids, blood, arterial concentration of plasma free fatty acids and glycerol during and after prolonged exercise in normal men, 724
plasma, fasting, effect of variations in previous diet on, 826
Lipoprotein species, sharper separation by paper electrophoresis in albumin-containing buffer, 518
Liver biopsy specimens, percutaneous, in vitro studies of hepatic DNA synthesis in, 761
extracts, normal, human, nature of complement-fixing antigen in, 67

Lymphangiography in man, postmortem, lymphaticovenous and lymphaticolymphatic communications demonstrated by, 9
Lymphaticolymphatic and lymphaticovenous communications demonstrated by plastic corrosion models of rats and by postmortem lymphangiography in man, 9
Lymphaticovenous and lymphaticolymphatic communications demonstrated by plastic corrosion models of rats and by postmortem lymphangiography in man, 9
Lymphocytes, human, normal and leukemic, motility, 34

M

M protein, cell walls and, from Group A, Type 14 streptococci, type-specific antibody response in man to injections, 459
Magnesium and calcium diet, low, and administration of vitamin D_3, changes in gut and urinary citrates following, 220
in serum and urine, estimation by atomic absorption spectrophotometry, 858
Measles virus vaccine, attenuated, depression of tuberculin reaction by, 453
Meningitis, pneumococcal, experimental, relationship of phagocytosis to fall in cerebrospinal fluid sugar in, 745
studies on pathogenesis, 745
Mesenchymal tissues, heredo-familial disease of, clinical and laboratory study of one family, 230
Metabolism and distribution of albumin with autologous I^{131}-albumin in healthy men, 183
erythrocyte, active cation transport and glycolysis, 567
of I^{131}-labeled human transferrin, 363
orotic acid, comparison in microorganisms, 211
sulfobromophthalein, in dog, altered, induced by antifungal agent X-5079C, 730
zinc, in patients with syndrome of iron deficiency anemia, hepatosplenomegaly, dwarfism, and hypogonadism, 537
Metaraminol, pressor amine, simultaneous determination of cardiac output and renal function in patients with Laennec's cirrhosis during administration, 820
Methanol, in biologic fluids, quantitative determination, 355
Methdilazine, pharmacology, some determinants and limits of action on vascular permeability and inflammation in model systems, 1015
Micromethod, simple and precise, for EDTA titration of calcium, 1029
Mosaicism, red cell, in female heterozygotes, application of $-Xg^a$ antiserum to, 642
Motility of normal and leukemic human lymphocytes, 34
Mucopolysaccharides, acid, of normal human urine, 633
Mumps virus infection, serologic responses to para-influenza viruses in patients with, 780
Mycobacteria, media for distinguishing human and bovine tubercle bacilli from other, 308
Myoglobin, simplified method for determination, 138

N

l-Norepinephrine and epinephrine, changes in sodium and water excretion induced by, in normotensive and hypertensive subjects, 832
Norepinephrine, epinephrine, glucose, insulin, and prolonged fasting in man, responses of plasma glycerol concentrations to, 953
Normotensive and hypertensive subjects, changes in sodium and water excretion induced by epinephrine and *l*-norepinephrine in normotensive subjects, 832

O

Orbital and other tissues of guinea pig, influence of thyrotrophin on radiosulfate uptake by, 44
Orotic acid metabolism, comparison in microorganisms, 211
aciduria, congenital, comparison of orotic acid metabolism in microorganisms, 211
Our responsibilities (Presidential address), 5
Oxygen cost of breathing in children, 292
Oxygen, simple new device for detection of uneven pulmonary ventilation after single breath, 346
Oxytetracycline, inhibition of urease by, 560

P

Paper electrophoresis in albumin-containing buffer, sharper separation of lipoprotein species by, 518
high voltage, and direct densitometry, application to urinary excretions of amino acids in normal subjects, 146
Para-influenza viruses, serologic responses to, in patients with mumps virus infection, 780
Penicillins, 3, activity against staphylococci, 129
Peptic ulcers, fucose and agglutinogen contents of gastric juice in subjects with, 660
Pernicious anemia, experiments on intrinsic factor antibody in serum from patients with, 893
single measurement of plasma radioactive vitamin B_{12} as test for, 158

Phagocytosis, relationship to fall in cerebrospinal fluid sugar in experimental pneumococcal meningitis, 745
Phenindione, warfarin, and ethyl biscoumacetate, effect on factors of prothrombin complex, 302
Phenobarbital and diphenylhydantoin, determination in small amounts of serum, 501
Plasma, evidence for second iron-binding system in, studies with doubly labeled iron, 280
Plasma free fatty acids and glycerol, arterial concentration during and after prolonged exercise in normal men, 724
glycerol concentrations, responses to epinephrine, norepinephrine, glucose, insulin, and prolonged fasting in man, 953
lipids, fasting, effect of variations in previous diet on, 826
protein disorders, coagulation factors in patients with, 411
radioactive vitamin B_{12}, single measurement as test for pernicious anemia, 158
Plastic corrosion models of rats, lymphaticovenous and lymphaticolymphatic communications demonstrated by, 9
scintillator, large, evaluation and use for gamma counting, 317
Plastification and electrophoresis method, thin-layer starch-gel, 166
Pneumococcal meningitis, experimental, relationship of phagocytosis to fall in cerebrospinal fluid sugar in, 745
Polycythemic rats, influence of erythropoietin on erythropoiesis in, 258
Polymer size and behavior in organism, relationship to levan as blood volume expander, 962
Postmortem lymphangiography in man, lymphaticovenous and lymphaticolymphatic communications demonstrated by, 9
Potassium and sodium in biologic fluids, ultramicro determination, 692
exchangeable, in primary aldosteronism, 51
and water, determination of red blood cell content, in normal subjects, 873
Pregnancy, epinephrine test in, 789
Pregnanediol, pregnanolone, and pregnanetriol in urine, determination, 174
Pregnanetriol, pregnanolone, and pregnanediol in urine, determination, 174
Pregnanolone, pregnanediol, and pregnanetriol in urine, determination, 174
Presidential address, Our responsibilities, 5
Primary aldosteronism, exchangeable sodium and potassium in, 51
Prostatic fluid, human, immunologic properties, 578
Protein, M, cell walls and, from Group A, Type 14 streptococci, type-specific antibody response in man to injections, 459
plasma, disorders, coagulation factors in patients with, 411
serum, concentration, and hematocrit, effect of posture and position of venous sampling site on, 755
Protein anabolic steroids, effect on sulfate incorporation by cartilage of male rats, 120
Proteins, serum, and rheumatoid factor, relationship to serum viscosity in rheumatic diseases, 677
Prothrombin complex, effect of warfarin, ethyl biscoumacetate, and phenindione on factors, 302
Pulmonary ventilation, uneven, simple new device for detection after single breath of oxygen, 346
Pyelonephritis, E. coli, retrograde, in rats, bacteriologic, pathologic, and fluorescent antibody study, 987

R

Radioactive albumin, absorption from lungs of normal dogs, 494
autologous, in healthy men, metabolism and distribution of albumin with, 183
cyanocobalamin, free and gastric juice–bound, simultaneous administration, rapid procedure for differentiating between intrinsic factor deficiency and other causes of vitamin B_{12} malabsorption, 266
vitamin B_{12}, plasma, single measurement, as test for pernicious anemia, 158
Radioisotope renogram, quantitative formulation, and I^{131}-O-iodohippurate excretion as indices of bilateral and unilateral renal functions, 795
Radiosulfate uptake by orbital and other tissues of guinea pig, influence of thyrotrophin on, 44
Rebreathing method, carbon monoxide, measurements of total circulating hemoglobin with, 944
Red blood cell content of water, sodium, and potassium in normal subjects, determination, 873
cell mosaicism in female heterozygotes, application of $-Xg^a$ antiserum to, 642
Renal function and cardiac output in patients with Laennec's cirrhosis, simultaneous determination during administration of pressor amine, metaraminol, 820
functions, bilateral and unilateral, I^{131}-O-iodohippurate excretion and quantitative formulation of radioisotope renogram as indices, 795
Renogram, radioisotope, quantitative formulation, and I^{131}-O-iodohippurate excretion as indices of bilateral and unilateral renal functions, 795
Responsibilities, our (Presidential address), 5
Reticuloendothelial system, relationship to activities and disappearance rates of various enzymes, 107

Retrograde E. coli pyelonephritis in rats, bacteriologic, pathologic, and fluorescent antibody study, 987
Rheumatic diseases, relationship of serum proteins and rheumatoid factor to serum viscosity in, 677
Rheumatoid factor and serum proteins, relationship to serum viscosity in rheumatic diseases, 677

S

Scintillator, plastic, large, evaluation and use for gamma counting, 317
Sepsis, wound, postoperative, qualitative and quantitative bacteriologic studies on hospital air as related to, 808
Sera, normal and abnormal, comparison of hydrolysis rates of acetylcholine and benzoylcholine, 979
Serum aldolase activity, DPNH method for estimation, 329
cholinesterase, human, comparison of hydrolysis rates of acetylcholine and benzoylcholine by normal and abnormal sera, 979
protein concentration and hematocrit, effect of posture and position of venous sampling site on, 755
proteins and rheumatoid factor, relationship to serum viscosity in rheumatic diseases, 677
viscosity in rheumatic diseases, relationship of serum proteins and rheumatoid factor to, 677
Serum from patients with pernicious anemia, experiments on intrinsic factor antibody in, 893
and urine, estimation of magnesium in, by atomic absorption spectrophotometry, 858
Smears, throat, direct, immunofluorescent identification of Group A streptococci in, 529
Sodium and potassium in biologic fluids, ultramicro determination, 692
exchangeable, in primary aldosteronism, 51
water, determination of red blood cell content, in normal subjects, 873
Sodium and water excretion, changes in, induced by epinephrine and *l*-norepinephrine in normotensive and hypertensive subjects, 832
Spectrophotometry, atomic absorption, estimation of magnesium in serum and urine by, 858
Spleen, rat, effect of erythropoietin on tritiated thymidine incorporation by, 23
Staphylococci, activity of 3 penicillins against, 129
Starch-gel electrophoresis, modified apparatus for, 879
thin-layer, electrophoresis and plastification method, 166
Steroids, protein, anabolic, effect on sulfate incorporation by cartilage of male rats, 120
Strain gage device to evaluate edema formation in dogs and rats, 1038
Streptococci, Group A, immunofluorescent identification in direct throat smears, 529
Type 14, type-specific antibody response in man to injections of cell walls and M protein from, 459
Streptolysin "O," mechanism of lethal toxic action and protection by certain antiserotonin drugs, 437
Sugar, cerebrospinal fluid, relationship of phagocytosis to fall in, in experimental pneumococcal meningitis, 745
Sulfate incorporation by cartilage of male rats, effect of protein anabolic steroids on, 120
Sulfobromophthalein metabolism in dog, altered, induced by antifungal agent X-5079C, 730

T

Thin-layer starch-gel electrophoresis and plastification method, 166
Throat smears, direct, immunofluorescent identification of Group A streptococci in, 529
Thrombosis, experimental, quantitative studies on effect of Dicumarol on, 935
Thymidine, tritiated, effect of erythropoietin on incorporation by rat spleen, 23
Thyrotrophin, influence on radiosulfate uptake by orbital and other tissues of guinea pig, 44
Thyroxine-treated rats, utilization and excretion of D-xylose in, 476
Toxic action, lethal, of streptolysin "O" and protection by certain antiserotonin drugs, 437
Tracer method, new, in vivo, with nonradioactive isotopes and activation analysis, 1042
Transaminase, glutamic-pyruvic, disappearance rates under various conditions, 76
I, glutamic-oxalacetic, disappearance rates under various conditions, 86
II, glutamic-oxalacetic, disappearance rates under various conditions, 98
Transferrin, human, I^{131}-labeled, metabolism, 363
Triolein, I^{131}-, absorption test, re-evaluation, 620
Triphosphopyridine nucleotide, reduced, simplified method for determination by means of enzymic cycling, 889
Tubercle bacilli, human and bovine, media for distinguishing from other mycobacteria, 308
Tuberculin reaction, depression by attenuated measles virus vaccine, 453
d-Tubocurarine hydrochloride, fluorescent analysis, 338

U

Ulcers, peptic, fucose and agglutinogen contents of gastric juice in subjects with, 660
Ultrafiltration, ion exchange chromatography, and gel filtration, use of, to purify intrinsic factor of human gastric juice, 907
Ultramicro determination of potassium and sodium in biologic fluids, 692
Urea, intravenous, effect on gastric acid and gastric ammonium production in man, 469
Urease activity, gastric, in normal subjects and in subjects with cirrhosis, 550
  inhibition by oxytetracycline, 560
Urinary and gut citrates, changes in, following low calcium and magnesium diet and administration of vitamin D_2, 220
Urine, determination of nonnitrogenous organic acids in, in conditions of acid-base balance, 604
  pregnanolone, pregnanediol, and pregnanetriol in, 174
  human, normal acid mucopolysaccharides, 633
  quantitative measurement of individual and total free amino acids in, 146
  and serum, estimation of magnesium in, by atomic absorption spectrophotometry, 858

V

Vaccine, measles, virus, attenuated, depression of tuberculin reaction by, 453
Vascular permeability and inflammation in model systems, some determinants and limits of action on, 1015
Venous sampling site, effect of posture and position on hematocrit and serum protein concentration, 755
Ventilation, pulmonary, uneven, simple new device for detection after single breath of oxygen, 346
Virus infection, mumps, serologic responses to para-influenza viruses in patients with, 780
Virus, measles, vaccine, attenuated, depression of tuberculin reaction by, 453
Viruses, para-influenza, serologic responses to, in patients with mumps virus infection, 780
Vitamin B_{12}, radioactive, plasma, single measurement as test for pernicious anemia, 158
  malabsorption, simultaneous administration of gastric juice–bound and free radioactive cyanocobalamin, rapid procedure for differentiating between intrinsic factor deficiency and other causes, 266
  D_2, administration, and low calcium and magnesium diet, changes in gut and urinary citrates following, 220

W

Warfarin, ethyl biscoumacetate, and phenindione, effect on factors of prothrombin complex, 302
Water and sodium excretion, changes in, induced by epinephrine and *l*-norepinephrine in normotensive and hypertensive subjects, 832
Water, sodium, and potassium, determination of red blood cell content, in normal subjects, 873
von Willebrand's disease and classical hemophilia, with antihemophilic factor (AHF) deficiency in same family, 424
Wound sepsis, postoperative, qualitative and quantitative bacteriologic studies on hospital air as related to, 808

X

X-5079C, antifungal agent, altered sulfobromophthalein metabolism in dog induced by, 730
$-Xg^a$ antiserum, application to question of red cell mosaicism in female heterozygotes, 642
D-Xylose, utilization and excretion in thyroxine-treated rats, 476

Z

Zinc metabolism in patients with syndrome of iron deficiency anemia, hepatosplenomegaly, dwarfism, and hypogonadism, 537